



GATOR DOCK


Marine Access Solutions



Drawn: CBB

Date: 02/27/08

Elite Fixed Piers



Technical Specifications

Design Live Load (lb/ft ²)	50
Total weight (lb/ft ²)	31
Max Unsupported Span (ft)	15
Deflection Limit (Design Loading - 10x14, 10x15, 10x20)	L/360
Deflection Limit (Design Loading - all others)	L/500

Standard Section Dimensions (ft)

4x8	4x10	4x12	4x14	4x15	4x20
	6x10	6x12	6x14	6x15	6x20
	8x10	8x12	8x14	8x15	8x20
	10x10	10x12	10x14	10x15	10x20

Materials

Structural Members	Marine Grade Aluminum-6000 series
Concrete	3000 psi-Structurally reinforced

Standard Components and Configurations

Deck Designs:



Barcelona



Tahoe



Miami

Accent Colors:



Composite Fender:



Tropical Rosewood



Tropical Teak



Tropical Walnut

Bumper:

Medium D

White
Beige
Grey

Cleats:

12" S

Silver
Marine Bronze

* All information presented is typical, and all materials, sizes, components and configurations given are standard. Custom performance criteria, materials, sizes, components, and configurations are available. Due to differences in monitors & printers, colors may vary from actual product color.

Physical properties are defined by ASTM testing standards, The Aluminum Association Design Manual, and/or standard engineering practice. The values shown are nominal and may vary. The information found in this document is believed to be true and accurate. No warranties of any kind are made as to the suitability of any CMI product for particular applications or the results obtained there from. ShoreGuard, C-Loc, TimberGuard, GeoGuard, Dura Dock, Shore-All, and Gator Gates are registered trademarks of Crane Materials International. ArmorWare, Ultra Composite, GatorDocks, Gator Bridge, CMI, CMI Seawalls, CMI Sheet Piling Solutions and CMI Waterfront Solutions are trademarks of Crane Materials International. United States and International Patent numbers 5,145,287; 5,881,508; 6,000,883; 6,033,155; 6,053,666; D420,154; 4,674,921; 4,690,588; 5,292,208; 6,575,667; 7,059,807; 7,056,066; 7,025,539; 1,245,061; Other patents pending.