



# GATOR DOCK

Marine Access Solutions



Drawn: CBB

Date: 02/26/08

## Elite Floating Docks



### Technical Specifications

Total Flotation Capacity (lb/ft <sup>2</sup> )	90
Total weight (lb/ft <sup>2</sup> )	34
Freeboard (in)	17.5
Draft (in)	6.5
Vertical Stability Index (in/sec <sup>2</sup> )	7.7

### Standard Section Dimensions (ft)

<b>4x8</b>	<b>4x10</b>	<b>4x12</b>	<b>4x14</b>	<b>4x15</b>	<b>4x16</b>	<b>4x18</b>	
	<b>6x10</b>	<b>6x12</b>	<b>6x14</b>	<b>6x15</b>	<b>6x16</b>	<b>6x18</b>	<b>6x20</b>
	<b>8x10</b>	<b>8x12</b>	<b>8x14</b>	<b>8x15</b>	<b>8x16</b>	<b>8x18</b>	<b>8x20</b>
	<b>10x10</b>	<b>10x12</b>	<b>10x14</b>	<b>10x15</b>	<b>10x16</b>	<b>10x18</b>	<b>10x20</b>

### Materials

Structural Members	Marine Grade Aluminum-6000 series
Flotation	Closed Cell Polyurethane
Concrete	3000 psi-Structurally reinforced

### Standard Components and Configurations

#### Deck Designs:



Barcelona



Tahoe



Miami

#### Accent Colors:



#### Composite Fender:



#### Bumper:

Medium D

White  
Beige  
Grey

#### Pile Guide:

4 Roller

Internal  
External

#### Cleats:

12" S

Silver  
Marine Bronze

\* All information presented is typical, and all materials, sizes, components and configurations given are standard. Custom performance criteria, materials, sizes, components, and configurations are available. Due to differences in monitors & printers, colors may vary from actual product color.

Physical properties are defined by ASTM testing standards, The Aluminum Association Design Manual, and/or standard engineering practice. The values shown are nominal and may vary. The information found in this document is believed to be true and accurate. No warranties of any kind are made as to the suitability of any CMI product for particular applications or the results obtained there from. ShoreGuard, C-Loc, TimberGuard, GeoGuard, Dura Dock, Shore-All, and Gator Gates are registered trademarks of Crane Materials International. ArmorWare, Ultra Composite, GatorDocks, Gator Bridge, CMI, CMI Seawalls, CMI Sheet Piling Solutions and CMI Waterfront Solutions are trademarks of Crane Materials International. United States and International Patent numbers 5,145,287; 5,881,508; 6,000,883; 6,033,155; 6,053,666; D420,154; 4,674,921; 4,690,588; 5,292,208; 6,575,667; 7,059,807; 7,056,066; 7,025,539; 1,245,061; Other patents pending.